

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016
Version: 3

Language: en-CA,US

Date of print: 19/12/2016
Page: 1 of 11

1. Product and company identification

Product identifier

Trade name: Vitrified Bonded Abrasives
This safety data sheet pertains to the following products:
Mounted Points, vitrified bond
Floor and Hand Rubs, vitrified bond
Bench grinding wheels, vitrified bond
Dressing stones, vitrified bond

Relevant identified uses of the substance or mixture and uses advised against

General use: Grinding and sanding of different kinds of materials.
For industrial purposes only

Details of the supplier of the safety data sheet

Company name:	PFERD INC.	PFERD CANADA INC.
Street/POB-No.:	9201 W. Heather Ave.	5570 McAdam Road
Postal Code, city:	Milwaukee, WI 53224, USA	Mississauga, Ontario L4Z 1P1, Canada
WWW:	www.pferdusa.com	www.pferdusa.com
E-mail:	sales@pferdusa.com	sales@pferdcanada.ca
Telephone:	262-509-5614	(905) 501-1555
Telefax:	262-255-2840	(905) 501-1554
Dept. responsible for information:	1-800-342-9015	1-866-245-1555

Emergency phone number

USA/Canada: 1-800-255-3924

2. Hazards identification

Emergency overview

Appearance: Form: solid
Color: varying colors
Odor: No data available
Classification: Article not subject to hazard labeling or classification.

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

Hazards not otherwise classified

Mechanical processing produce particles and dust from the workpiece and abrasive.
Inhalation of dust may cause irritation of the respiratory system.
Fibers/dusts: May cause cancer.
see section 11: Toxicological information

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016
Version: 3

Language: en-CA,US

Date of print: 19/12/2016
Page: 2 of 11

3. Composition / Information on ingredients

Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS 1344-28-1	Aluminium oxide	< 98 %	not applicable
CAS 409-21-2	Silicon carbide	< 98 %	not applicable
CAS 60676-86-0	amorphous silica	< 50 %	not applicable
CAS 14808-60-7	Quartz (SiO ₂)	< 5 %	Carcinogenicity 1A.
CAS 13463-67-7	Titanium dioxide	< 5 %	Carcinogenicity 2.
CAS 1309-37-1	Diiron trioxide	< 5 %	not applicable
CAS -	Micro wax	< 3 %	not applicable
CAS -	Paraffin wax	< 3 %	not applicable
CAS 1308-38-9	Chromium (III) oxide	< 2 %	not applicable
CAS 1312-81-8	Lanthanum oxide	< 1 %	not applicable
CAS 7631-86-9	Silicon dioxide	< 1 %	not applicable
CAS 1309-48-4	Magnesium oxide	< 0.5 %	not applicable
CAS 1314-36-9	yttrium oxide	< 0.5 %	not applicable
CAS 1305-78-8	Calcium oxide	< 0.5 %	Skin Irritation 2. Eye Damage 1. Specific Target Organ Toxicity (Single Exposure) 3.

Additional information: The ingredients are embedded in the product.

4. First aid measures

In case of inhalation: Fibers/dusts: Provide fresh air. If you feel unwell, seek medical advice.

Following skin contact: Fibers/dusts: Remove residues with soap and water. In case of skin reactions, consult a physician.

After eye contact: Fibers/dusts: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if any. In case of eye irritation consult an ophthalmologist.

After swallowing: Fibers/dusts: Rinse mouth with water. Give water to drink in small sips. If you feel unwell, seek medical advice.

Most important symptoms and effects, both acute and delayed

Inhalation of dust may cause irritation of the respiratory system.

Information to physician

Treat symptomatically.

5. Fire fighting measures

Flash point/flash point range:

No data available

Auto-ignition temperature: No data available

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016

Version: 3

Language: en-CA,US

Date of print: 19/12/2016

Page: 3 of 11

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Specific hazards arising from the chemical

On heating or in case of fire toxic gases may form.

Protective equipment and precautions for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Do not allow fire water to penetrate into surface or ground water.

6. Accidental release measures

Personal precautions:

For mechanical processing: Avoid generation of dust. Do not inhale substance.

In case of heating: Development of gas/vapor possible.

Provide adequate ventilation. Wear appropriate protective equipment.

Avoid contact with the substance. Keep unprotected people away.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.

In case of release, notify competent authorities.

Methods for clean-up:

Take up mechanically, placing in appropriate containers for disposal.

7. Handling and storage

Handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Avoid generation of dust. In

case of heating: Development of gas/vapor possible. Do not inhale substance. Wear

appropriate protective equipment. Avoid contact with the substance.

Storage

Requirements for storerooms and containers:

Keep container tightly closed and dry.

Keep in a cool, well-ventilated place.

Hints on joint storage:

Do not store together with oxidizing agents or acids.

Do not store together with food.

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016
Version: 3

Language: en-CA,US

Date of print: 19/12/2016
Page: 4 of 11

8. Exposure controls / personal protection

Exposure guidelines

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
1344-28-1	Aluminium oxide	Canada, Alberta: OEL 8 hour	10 mg/m ³
		Canada, Québec: VEMP	10 mg/m ³ (inhalable fraction)
		USA: OSHA: TWA	15 mg/m ³ inhalable fraction
		USA: OSHA: TWA	5 mg/m ³ (respirable fraction)
409-21-2	Silicon carbide	Canada, Alberta: OEL 8 hour	0.1 fibers/cm ³ (fibrous, including whiskers; inhalable fraction)
		Canada, Alberta: OEL 8 hour	10 mg/m ³ (non-fibrous; inhalable fraction)
		Canada, Alberta: OEL 8 hour	3 mg/m ³ (non-fibrous; respirable fraction)
		Canada, BC: OEL TWA	0.1 fibers/cm ³ (fibrous, including whiskers)
		Canada, BC: OEL TWA	10 mg/m ³ (non-fibrous; inhalable fraction)
		Canada, BC: OEL TWA	3 mg/m ³ (non-fibrous; respirable fraction)
		Canada, Ontario: OEL TWA	0.1 fibers/cm ³ (fibrous, including whiskers; inhalable fraction)
		Canada, Ontario: OEL TWA	10 mg/m ³ (non-fibrous; inhalable fraction)
		Canada, Ontario: OEL TWA	3 mg/m ³ (non-fibrous; respirable fraction)
		Canada, Québec: VEMP	10 mg/m ³ (non-fibrous; inhalable fraction)
		USA: ACGIH: TWA	0.1 fibers/cm ³ (fibrous, including whiskers)
		USA: ACGIH: TWA	10 mg/m ³ (inhalable fraction; particulate matter containing no asbestos and < 1% crystalline silica)
		USA: ACGIH: TWA	3 mg/m ³ (respirable fraction; particulate matter containing no asbestos and < 1% crystalline silica)
		USA: NIOSH: TWA	10 mg/m ³ inhalable fraction
USA: NIOSH: TWA	5 mg/m ³ (respirable fraction)		
USA: OSHA: TWA	15 mg/m ³ inhalable fraction		
USA: OSHA: TWA	5 mg/m ³ (respirable fraction)		
60676-86-0	amorphous silica	Canada, Ontario: OEL TWA	0.1 mg/m ³ (respirable fraction)
		Canada, Québec: VEMP	0.1 mg/m ³ (respirable fraction)

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016
Version: 3

Language: en-CA,US

Date of print: 19/12/2016
Page: 5 of 11

CAS No.	Designation	Type	Limit value
14808-60-7	Quartz (SiO ₂)	Canada, Alberta: OEL 8 hour	0.025 mg/m ³
		Canada, BC: OEL TWA	0.025 mg/m ³
		Canada, Ontario: OEL TWA	0.1 mg/m ³ (respirable fraction)
		Canada, Québec: VEMP	0.1 mg/m ³ (respirable fraction)
		USA: ACGIH: TWA	0.025 mg/m ³ (respirable fraction)
		USA: NIOSH: TWA	0.05 mg/m ³ (respirable fraction)
		USA: OSHA: TWA	10 mg/m ³ % SiO ₂ + 2 (respirable Dust)
		USA: OSHA: TWA	250 mppcf/%SiO ₂ +5 fine dust
		USA: OSHA: TWA	30 mg/m ³ % SiO ₂ + 2 inhalable fraction
		13463-67-7	Titanium dioxide
Canada, BC: OEL TWA	10 mg/m ³		
Canada, BC: OEL TWA	3 mg/m ³ respirable fraction		
Canada, Québec: VEMP	10 mg/m ³ (inhalable fraction)		
USA: ACGIH: TWA	10 mg/m ³		
USA: OSHA: TWA	15 mg/m ³		
1309-37-1	Diiron trioxide	Canada, Alberta: OEL 8 hour	5 mg/m ³ (respirable fraction)
		Canada, BC: OEL STEL	10 mg/m ³ Smoke; calculated as Fe
		Canada, BC: OEL TWA	10 mg/m ³ (oxide, red)
		Canada, BC: OEL TWA	3 mg/m ³ (oxide, red) respirable fraction
		Canada, BC: OEL TWA	5 mg/m ³ (oxide dust)
		Canada, BC: OEL TWA	5 mg/m ³ Smoke; calculated as Fe
		Canada, Québec: VEMP	10 mg/m ³ (red)
		Canada, Québec: VEMP	5 mg/m ³
		USA: ACGIH: TWA	5 mg/m ³ (respirable fraction)
		USA: OSHA: TWA	10 mg/m ³ (Iron oxide, fume; calculated as Fe)
1308-38-9	Chromium (III) oxide	Canada, Alberta: OEL 8 hour	0.5 mg/m ³
		Canada, BC: OEL TWA	0.5 mg/m ³
		Canada, Québec: VEMP	0.5 mg/m ³
		USA: ACGIH: TWA	0.5 mg/m ³
		USA: NIOSH: TWA	0.5 mg/m ³
		USA: OSHA: TWA	0.5 mg/m ³
7631-86-9	Silicon dioxide	USA: NIOSH: TWA	6 mg/m ³
		USA: OSHA: TWA	20 mppcf
		USA: OSHA: TWA	80 mg/m ³ total dust

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016

Version: 3

Language: en-CA,US

Date of print: 19/12/2016

Page: 6 of 11

CAS No.	Designation	Type	Limit value	
1309-48-4	Magnesium oxide	Canada, Alberta: OEL 8 hour	10 mg/m ³	
		Canada, BC: OEL STEL	10 mg/m ³	
			respirable fraction; Smoke and Dusts	
		Canada, BC: OEL TWA	10 mg/m ³	
		Canada, BC: OEL TWA	3 mg/m ³	
			respirable fraction; Smoke and Dusts	
		Canada, Québec: VEMP	10 mg/m ³	
1305-78-8	Calcium oxide	USA: ACGIH: TWA	10 mg/m ³ (inhalable fraction)	
		USA: OSHA: TWA	15 mg/m ³	
		Canada, Alberta: OEL 8 hour	2 mg/m ³	
		Canada, BC: OEL TWA	2 mg/m ³	
		Canada, Québec: VEMP	2 mg/m ³	
		USA: ACGIH: TWA	2 mg/m ³	
		USA: NIOSH: TWA	2 mg/m ³	
	USA: OSHA: TWA	5 mg/m ³		

Engineering controls

In the case of the formation of dust: Provide good ventilation and/or an exhaust system in the work area.

See also information in chapter 7, section storage.

Personal protection equipment (PPE)

Eye/face protection For mechanical processing: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Skin protection For mechanical processing: Wear suitable protective clothing and shoes.
For mechanical processing: Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Respiratory protection: In case of dust formation:
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

General hygiene considerations:

For mechanical processing: Do not inhale substance.

Avoid contact with skin and eyes.

When using do not eat, drink or smoke. Change contaminated clothing.

Wash hands before breaks and after work.

Work place should be equipped with a shower and an eye rinsing apparatus.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance: Form: solid
Color: varying colors

Odor: No data available

Odor threshold: No data available

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016

Version: 3

Language: en-CA,US

Date of print: 19/12/2016

Page: 7 of 11

pH value:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	No data available
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Density:	No data available
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Thermal decomposition:	No data available
Additional information:	No data available

10. Stability and reactivity

Reactivity: no data available

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Conditions to avoid: No data available

Incompatible materials: No data available

Hazardous decomposition products:

On heating or in case of fire toxic gases may form.

Thermal decomposition: No data available

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016

Version: 3

Language: en-CA,US

Date of print: 19/12/2016

Page: 8 of 11

11. Toxicological information

Toxicological tests

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.
Acute toxicity (oral): Lack of data.
Acute toxicity (dermal): Lack of data.
Acute toxicity (inhalative): Lack of data.
Skin corrosion/irritation: Lack of data.
Eye damage/irritation: Lack of data.
Sensitisation to the respiratory tract: Lack of data.
Skin sensitisation: Lack of data.
Germ cell mutagenicity/Genotoxicity: Lack of data.
Carcinogenicity: Lack of data.
Reproductive toxicity: Lack of data.
Effects on or via lactation: Lack of data.
Specific target organ toxicity (single exposure): Lack of data.
Specific target organ toxicity (repeated exposure): Lack of data.
Aspiration hazard: Lack of data.

Other information: Chronic toxicity carcinogenic effect:
Information about Titanium dioxide:
IARC Rating: Group 2B
OSHA Carcinogen: not listed
NTP Rating: not listed
Information about Diiron trioxide:
IARC Rating: Group 3
OSHA Carcinogen: not listed
NTP Rating: not listed
Information about silicon dioxide:
IARC Rating: Group 3
OSHA Carcinogen: not listed
NTP Rating: not listed
Information about Quartz (SiO₂):
IARC Rating: Group 1
OSHA Carcinogen: not listed
NTP Rating: listed

12. Ecological information

Ecotoxicity

Further details: No data available

Mobility in soil

No data available

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016

Version: 3

Language: en-CA,US

Date of print: 19/12/2016

Page: 9 of 11

Persistence and degradability

Further details: No data available

Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

13. Disposal considerations

Product

Recommendation: Dispose of waste according to applicable legislation.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Packing can be recycled or disposed of.

14. Transport information

USA: Department of Transportation (DOT)

Proper shipping name: Not restricted

Canada: Transportation of Dangerous Goods (TDG)

Shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: no

Air transport (IATA)

Proper shipping name: Not restricted

Further information

No dangerous good in sense of these transport regulations.

15. Regulatory information

National regulations - Canada

No data available

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016

Version: 3

Language: en-CA,US

Date of print: 19/12/2016

Page: 10 of 11

National regulations - U.S. Federal Regulations

Product:	This product is an article as defined by TSCA regulations, and is exempt from TSCA inventory listing requirements.
Aluminium oxide:	Other Environmental Laws: SARA Title III Section 313, Toxic Release: Conc. 1.0% / Threshold Standard NIOSH Recommendations: Occupational Health Guideline: 0021
Silicon carbide:	NIOSH Recommendations: Occupational Health Guideline: 0555
Quartz (SiO ₂):	Carcinogen Status: IARC Rating: Group 1 OSHA Carcinogen: not listed NTP Rating: listed NIOSH Recommendations: Occupational Health Guideline: 0553
Titanium dioxide:	Carcinogen Status: IARC Rating: Group 2B OSHA Carcinogen: not listed NTP Rating: not listed NIOSH Recommendations: Occupational Health Guideline: 0617
Diiron trioxide:	Carcinogen Status: IARC Rating: Group 3 OSHA Carcinogen: not listed NTP Rating: not listed NIOSH Recommendations: Occupational Health Guideline: 0344
Lanthanum oxide:	TSCA: listed
Silicon dioxide:	Carcinogen Status: IARC Rating: Group 3 OSHA Carcinogen: not listed NTP Rating: not listed NIOSH Recommendations: Occupational Health Guideline: 0552
Magnesium oxide:	NIOSH Recommendations: Occupational Health Guideline: 0374
Calcium oxide:	NIOSH Recommendations: Occupational Health Guideline: 0093

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Vitrified Bonded Abrasives

Product number 012

Revision date: 14/12/2016
Version: 3

Language: en-CA,US

Date of print: 19/12/2016
Page: 11 of 11

National regulations - U.S. State Regulations

Aluminium oxide:	Delaware Air Quality Management List: DRQ: 100 - RQ State: State requirement differs from Federal Massachusetts Haz. Substance codes: F9 Minnesota Haz. Substance: Codes: A - Ratings: 10.16 - Status: Title III. TRI. New Jersey RTK Hazardous Substance: DOT: - - Sub No.: 2891 - TPQ: - Pennsylvania Haz. Substance code: E Washington Air Contaminant: TWA: 10 mg
Quartz (SiO ₂):	California Proposition 65: cancer Rhode Island HSL: listed
Titanium dioxide:	California Proposition 65: cancer Rhode Island HSL: listed
Diiron trioxide:	Idaho Air Pollutant List: Title 585 -- AAC: 0.25 -- EL: 0.333 -- WEL: 5 Title 586 - Massachusetts Haz. Substance codes: 2 Pennsylvania Haz. Substance code: - Washington Air Contaminant: TWA: 5 mg

16. Other information

Hazard rating systems:



NFPA Hazard Rating:

Health: 1 (Slight)
Fire: 0 (Minimal)
Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 1 (Slight)
Flammability: 0 (Minimal)
Physical Hazard: 0 (Minimal)
Personal Protection: X = Consult your supervisor

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
	X

Reason of change: Changes in section 1: emergency phone number

Date of first version: 13/1/2016

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products.