

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014

Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 1 of 10

1. Product and company identification

Product identifier

Trade name: Non-Woven Abrasives
This safety data sheet pertains to the following products:
POLINOX® unmounted flap wheels
POLINOX® cross buffs
POLINOX® mounted flap wheels
POLINOX® unitized wheels
POLINOX® unitized discs
POLINOX® convolute wheels
POLINOX® spindle mount discs
POLINOX® hand pads
POLINOX® marbling discs
POLINOX® finishing drums
POLIVLIES® surface conditioning belts
POLIVLIES® surface conditioning hook & loop discs
POLIVLIES® flap disc
POLICLEAN® discs
POLICLEAN® mounted wheels
COMBIDISC® POLICLEAN® discs
COMBIDISC® surface conditioning discs
COMBIDISC® finishing discs
COMBIDISC® unitized discs
COMBICLICK® surface conditioning discs
COMBICLICK® finishing discs
COMBICLICK® unitized discs
Non Woven Shop Rolls

Relevant identified uses of the substance or mixture and uses advised against

General use: Grinding and sanding of different kinds of materials.
For industrial purposes only

Details of the supplier of the safety data sheet

Company name:	PFERD INC.	PFERD CANADA INC.
Street/POB-No.:	9201 W. Heather Ave.	5570 McAdam Road
Postal Code, city:	Milwaukee, WI 53224, USA	Mississauga, Ontario L4Z 1P1, Canada
WWW:	www.pferdusa.com	www.pferdusa.com
E-mail:	sales@pferdusa.com	sales@pferdusa.com
Telephone:	262-509-5614	(905) 501-1555
Telefax:	262-255-2840	(905) 501-1554
Dept. responsible for information:	1-800-342-9015	1-866-245-1555

Emergency phone number

USA: 1-800-342-9015 (7:00 a.m.-5:00 p.m. Central Time)
Canada: 1-866-245-1555 (8:00 a.m. - 4:30 p.m. eastern standard time)

2. Hazards identification

Emergency overview

Appearance: Form: solid
Color: varying colors
Odor: No data available

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014

Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 2 of 10

Classification: Article not subject to hazard labeling or classification.

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

Hazards not otherwise classified

Mechanical processing can produce particles and dust.
Inhalation of dust may cause irritation of the respiratory system.
Fibers and dust: Skin irritation, mucous membrane irritation, eye irritations.
see section 11: Toxicological information

3. Composition / Information on ingredients

Chemical characterisation: Non-woven abrasives

Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS -	Nylon fibre	< 80 %	not applicable
CAS 1344-28-1	Aluminium oxide	< 70 %	not applicable
CAS 409-21-2	Silicon carbide	< 70 %	not applicable
CAS -	synthetic resin, polymerized	< 60 %	not applicable
CAS -	Cotton-Polyester-cloth	< 40 %	not applicable
CAS -	Polyester cloth	< 40 %	not applicable
CAS -	Cotton cloth	< 40 %	not applicable
CAS 65997-17-3	Fibre glass weaves	< 30 %	not applicable
CAS 471-34-1	Calcium carbonate	< 5 %	not applicable
CAS 13983-17-0	Wollastonite	< 5 %	not applicable
CAS -	Aluminium Silicates	< 5 %	not applicable
CAS 13463-67-7	Titanium dioxide	< 3 %	Carcinogenicity 2.
CAS 7631-86-9	Silicon dioxide	< 2 %	not applicable
CAS -	paper	< 2 %	not applicable
CAS 26761-40-0	Diisodecylphthalate	< 1.5 %	not applicable
CAS 9002-86-2	Polyvinyl chloride	< 1.5 %	not applicable
CAS 1309-37-1	Diiron trioxide	< 1.5 %	not applicable
CAS 8042-47-5	White mineral oil (petroleum)	< 1 %	not applicable
CAS -	Pigments	< 1 %	not applicable
CAS 64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	< 0.2 %	not applicable
CAS 14808-60-7	Quartz (SiO ₂)	< 0.15 %	Carcinogenicity 1A.

Additional information: The ingredients are embedded in the product.

4. First aid measures

In case of inhalation: Fibers/dusts: Provide fresh air. If you feel unwell, seek medical advice.
Following skin contact: Fibers/dusts: Remove residues with soap and water. In case of skin reactions, consult a physician.
After eye contact: Fibers/dusts: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if any. In case of eye irritation consult an ophthalmologist.

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014

Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 3 of 10

After swallowing: Fibers/dusts: Rinse mouth with water. Give water to drink in small sips. If you feel unwell, seek medical advice.

Most important symptoms and effects, both acute and delayed

Fibers/dusts: Can cause skin, eye and respiratory tract irritation.

Information to physician

Treat symptomatically.

5. Fire fighting measures

Flash point/flash point range:

No data available

Auto-ignition temperature: No data available

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Specific hazards arising from the chemical

At temperatures above 482 °F (250 °C) hazardous decomposition products may be generated.

Protective equipment and precautions for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Do not allow fire water to penetrate into surface or ground water.

6. Accidental release measures

Personal precautions:

Avoid generation of dust. Do not inhale substance.
In case of heating: development of gas/vapor possible.
Provide adequate ventilation. Wear appropriate protective equipment.
Avoid contact with the substance. Keep unprotected people away.

Environmental precautions: Do not allow to penetrate into soil, waterbodies or drains.

Methods for clean-up:

Take up mechanically, placing in appropriate containers for disposal.

7. Handling and storage

Handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Avoid generation of dust.
In case of heating: development of gas/vapor possible.
Do not inhale substance. Wear appropriate protective equipment. Avoid contact with the substance.

Storage

Requirements for storerooms and containers:

Keep container tightly closed and dry.
Protect from heat and direct sunlight.

Hints on joint storage:

Do not store together with oxidizing agents or acids.
Do not store together with food.

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014

Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 4 of 10

8. Exposure controls / personal protection

Exposure guidelines

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
1344-28-1	Aluminium oxide	Canada, Alberta: OEL 8 hour	10 mg/m ³
		Canada, Québec: VEMP	10 mg/m ³ (inhalable fraction)
		USA: OSHA: TWA	15 mg/m ³ inhalable fraction
		USA: OSHA: TWA	5 mg/m ³ (respirable fraction)
409-21-2	Silicon carbide	Canada, Alberta: OEL 8 hour	0.1 fibers/cm ³ (fibrous, including whiskers; inhalable fraction)
		Canada, Alberta: OEL 8 hour	10 mg/m ³ (non-fibrous; inhalable fraction)
		Canada, Alberta: OEL 8 hour	3 mg/m ³ (non-fibrous; respirable fraction)
		Canada, BC: OEL TWA	0.1 fibers/cm ³ (fibrous, including whiskers)
		Canada, BC: OEL TWA	10 mg/m ³ (non-fibrous; inhalable fraction)
		Canada, BC: OEL TWA	3 mg/m ³ (non-fibrous; respirable fraction)
		Canada, Ontario: OEL TWA	0.1 fibers/cm ³ (fibrous, including whiskers; inhalable fraction)
		Canada, Ontario: OEL TWA	10 mg/m ³ (non-fibrous; inhalable fraction)
		Canada, Ontario: OEL TWA	3 mg/m ³ (non-fibrous; respirable fraction)
		Canada, Québec: VEMP	10 mg/m ³ (non-fibrous; inhalable fraction)
		USA: ACGIH: TWA	0.1 fibers/cm ³ (fibrous, including whiskers)
		USA: ACGIH: TWA	10 mg/m ³ (inhalable fraction; particulate matter containing no asbestos and < 1% crystalline silica)
		USA: ACGIH: TWA	3 mg/m ³ (respirable fraction; particulate matter containing no asbestos and < 1% crystalline silica)
		USA: NIOSH: TWA	10 mg/m ³ inhalable fraction
		USA: NIOSH: TWA	5 mg/m ³ (respirable fraction)
		USA: OSHA: TWA	15 mg/m ³ inhalable fraction
USA: OSHA: TWA	5 mg/m ³ (respirable fraction)		

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014

Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 5 of 10

CAS No.	Designation	Type	Limit value
65997-17-3	Fibre glass weaves	Canada, Alberta: OEL 8 hour	1 fibers/cm ³
		Canada, Alberta: OEL 8 hour	Glass Fibres, Continuous filament 5 mg/m ³
		Canada, BC: OEL TWA	Glass Fibres, continuous filament, glass wool, inhalable fraction 1 fibers/cm ³
		Canada, BC: OEL TWA	Synthetic Vitreous Fibres - Continuous filament glass fibres 5 mg/m ³
		Canada, Ontario: OEL TWA	Synthetic Vitreous Fibres - Continuous filament glass fibres; inhalable fraction 1 fibers/cm ³
		Canada, Ontario: OEL TWA	Synthetic Vitreous Fibres, Continuous filament glass fibres 5 mg/m ³
		Canada, Québec: VEMP	Synthetic Vitreous Fibres (Man Made Mineral Fibres), Continuous filament glass fibres 10 mg/m ³
		USA: ACGIH: TWA	Fibre de verre en filament continu; Pt note 1 1 fibers/cm ³
		USA: ACGIH: TWA	Synthetic vitreous fibres, Continuous filament glass fibres 5 mg/m ³
		USA: NIOSH: TWA	Synthetic vitreous fibres, Continuous filament glass fibres; inhalable fraction 3 fibers/cm ³
471-34-1	Calcium carbonate	Canada, Alberta: OEL 8 hour	Fibers less than or equal to 3,5 µm in diameter and greater than or equal to 10µm in length. 5 mg/m ³
		Canada, BC: OEL STEL	Fiber glas®, Fiberglass, Glass fibers, Glass wool, total dust 10 mg/m ³
		Canada, BC: OEL TWA	20 mg/m ³
		Canada, Québec: VEMP	(Calcium carbonate incl. Limestone, Marble) 10 mg/m ³
13983-17-0	Wollastonite	Canada, Québec: VEMP	(Calcium carbonate incl. Limestone, Marble) 10 mg/m ³ (inhalable fraction)
		Canada, Québec: VEMP	10 mg/m ³ (inhalable fraction)
		USA: NIOSH: TWA	5 mg/m ³ (respirable fraction)
		USA: OSHA: TWA	15 mg/m ³ (inhalable fraction)
		USA: OSHA: TWA	5 mg/m ³ (respirable fraction)
13463-67-7	Titanium dioxide	Canada, Alberta: OEL 8 hour	10 mg/m ³ (inhalable fraction)
		Canada, BC: OEL TWA	5 mg/m ³ (respirable fraction)
		Canada, BC: OEL TWA	10 mg/m ³
		Canada, Québec: VEMP	3 mg/m ³ respirable fraction
		USA: ACGIH: TWA	10 mg/m ³ (inhalable fraction)
		USA: OSHA: TWA	10 mg/m ³

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014

Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 6 of 10

CAS No.	Designation	Type	Limit value
7631-86-9	Silicon dioxide	USA: NIOSH: TWA USA: OSHA: TWA USA: OSHA: TWA	6 mg/m ³ 20 mppcf 80 mg/m ³ total dust
26761-40-0	Diisodecylphthalate	Canada, Ontario: OEL TWA	5 mg/m ³
9002-86-2	Polyvinyl chloride	Canada, BC: OEL TWA USA: ACGIH: TWA	1 mg/m ³ 1 mg/m ³ (respirable fraction)
1309-37-1	Diiron trioxide	Canada, Alberta: OEL 8 hour Canada, BC: OEL STEL Canada, BC: OEL TWA Canada, BC: OEL TWA Canada, BC: OEL TWA Canada, BC: OEL TWA Canada, Québec: VEMP Canada, Québec: VEMP USA: ACGIH: TWA USA: OSHA: TWA USA: OSHA: TWA USA: OSHA: TWA	5 mg/m ³ (respirable fraction) 10 mg/m ³ Smoke; calculated as Fe 10 mg/m ³ (oxide, red) 3 mg/m ³ (oxide, red) respirable fraction 5 mg/m ³ (oxide dust) 5 mg/m ³ Smoke; calculated as Fe 10 mg/m ³ (red) 5 mg/m ³ 5 mg/m ³ (respirable fraction) 10 mg/m ³ (Iron oxide, fume; calculated as Fe) 15 mg/m ³ (inhalable fraction, red) 5 mg/m ³ (red, respirable fraction)
14808-60-7	Quartz (SiO ₂)	Canada, Alberta: OEL 8 hour Canada, BC: OEL TWA Canada, Ontario: OEL TWA Canada, Québec: VEMP USA: ACGIH: TWA USA: NIOSH: TWA USA: OSHA: TWA USA: OSHA: TWA USA: OSHA: TWA	0.025 mg/m ³ 0.025 mg/m ³ 0.1 mg/m ³ (respirable fraction) 0.1 mg/m ³ (respirable fraction) 0.025 mg/m ³ (respirable fraction) 0.05 mg/m ³ (respirable fraction) 10 mg/m ³ /% SiO ₂ + 2 (respirable Dust) 250 mppcf/%SiO ₂ +5 fine dust 30 mg/m ³ /% SiO ₂ + 2 inhalable fraction

Engineering controls

In the case of the formation of dust: Provide good ventilation and/or an exhaust system in the work area. If not available, use respiratory protection.

See also information in chapter 7, section storage.

Personal protection equipment (PPE)

Eye/face protection For mechanical processing: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Skin protection For mechanical processing: Wear suitable protective clothing and shoes.
For mechanical processing: Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Respiratory protection: In case of dust formation:
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

General hygiene considerations:
For mechanical processing: Do not inhale substance. Avoid contact with skin and eyes. When using do not eat, drink or smoke. Change contaminated clothing.
Wash hands before breaks and after work.
Work place should be equipped with a shower and an eye rinsing apparatus.

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014

Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 7 of 10

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:	Form: solid Color: varying colors
Odor:	No data available
Odor threshold:	No data available
pH value:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	No data available
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Density:	No data available
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Thermal decomposition:	No data available
Additional information:	No data available

10. Stability and reactivity

Reactivity:	no data available
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reaction when handled and stored according to provisions.
Conditions to avoid:	Protect from heat and direct sunlight.
Incompatible materials:	Oxidizing agents, acids.
Hazardous decomposition products:	At temperatures above 482 °F (250 °C) hazardous decomposition products may be generated.
Thermal decomposition:	No data available

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014

Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 8 of 10

11. Toxicological information

Toxicological tests

Toxicological effects:

- Acute toxicity (oral): Lack of data.
- Acute toxicity (dermal): Lack of data.
- Acute toxicity (inhalative): Lack of data.
- Skin corrosion/irritation: Lack of data.
- Eye damage/irritation: Lack of data.
- Sensitisation to the respiratory tract: Lack of data.
- Skin sensitisation: Lack of data.
- Germ cell mutagenicity/Genotoxicity: Lack of data.
- Carcinogenicity: Lack of data.
- Reproductive toxicity: Lack of data.
- Effects on or via lactation: Lack of data.
- Specific target organ toxicity (single exposure): Lack of data.
- Specific target organ toxicity (repeated exposure): Lack of data.
- Aspiration hazard: Lack of data.

Other information:

- Chronic toxicity carcinogenic effect:
- Information about Quartz (SiO₂):
 - IARC Rating: Group 1
 - OSHA Carcinogen: not listed
 - NTP Rating: listed
- Information about silicon dioxide:
 - IARC Rating: Group 3
 - OSHA Carcinogen: not listed
 - NTP Rating: not listed
- Information about Wollastonite:
 - IARC Rating: Group 3
 - OSHA Carcinogen: not listed
 - NTP Rating: not listed
- Information about Titanium dioxide:
 - IARC Rating: Group 2B
 - OSHA Carcinogen: not listed
 - NTP Rating: not listed
- Information about Diiron trioxide:
 - IARC Rating: Group 3
 - OSHA Carcinogen: not listed
 - NTP Rating: not listed

Symptoms

In case of inhalation: Inhalation of dust may cause irritation of the respiratory system.
Irritation of nose, throat, lung.

12. Ecological information

Ecotoxicity

Further details: No data available

Mobility in soil

No data available

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014

Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 9 of 10

Persistence and degradability

Further details: No data available

Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

13. Disposal considerations

Product

Recommendation: Dispose of waste according to applicable legislation.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Packing can be recycled or disposed of.

14. Transport information

USA: Department of Transportation (DOT)

Proper shipping name: Not restricted

Canada: Transportation of Dangerous Goods (TDG)

Shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted
Marine pollutant: no

Air transport (IATA)

Proper shipping name: Not restricted

Further information

No dangerous good in sense of these transport regulations.

15. Regulatory information

National regulations - Canada

No data available

National regulations - U.S. Federal Regulations

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Non-Woven Abrasives

Material number 014


Revision date: 21/12/2015
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 10 of 10

16. Other information

Hazard rating systems:



NFPA Hazard Rating:

Health: 1 (Slight)
Fire: 0 (Minimal)
Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 1 (Slight)
Flammability: 0 (Minimal)
Physical Hazard: 0 (Minimal)
Personal Protection: X = Consult your supervisor

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
	X

Date of first version: 21/12/2015

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products.