

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Wood files and rasps

Material number 171

Revision date: 3/2/2016
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 1 of 9

1. Product and company identification

Product identifier

Trade name: Wood files and rasps
This safety data sheet pertains to the following products:
Rasps (RAF)
Wood Files (RAF)
Needle Rasps (NR)
Handy Rasps (HAR)

Relevant identified uses of the substance or mixture and uses advised against

General use: Tools for surface treatment of various woods.
For industrial purposes only

Details of the supplier of the safety data sheet

Company name: PFERD INC. Street/POB-No.: 9201 W. Heather Ave. Postal Code, city: Milwaukee, WI 53224, USA WWW: www.pferdusa.com E-mail: sales@pferdusa.com Telephone: 262-509-5614 Telefax: 262-255-2840 Dept. responsible for information: 1-800-342-9015	PFERD CANADA INC. Street/POB-No.: 5570 McAdam Road Postal Code, city: Mississauga, Ontario L4Z 1P1, Canada WWW: www.pferdusa.com E-mail: sales@pferdusa.com Telephone: (905) 501-1555 Telefax: (905) 501-1554 Dept. responsible for information: 1-866-245-1555
---	---

Emergency phone number

USA: 1-800-342-9015 (7:00 a.m.-5:00 p.m. Central Time)
Canada: 1-866-245-1555 (8:00 a.m. - 4:30 p.m. eastern standard time)

2. Hazards identification

Emergency overview

Appearance: Form: solid
Color: gray
Odor: odorless
Classification: Article not subject to hazard labeling or classification.

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

Hazards not otherwise classified

Mechanical processing can produce particles and dust.
Inhalation of dust may cause irritation of the respiratory system.
Dust contact with the eyes can lead to mechanical irritation.
May cause sensitisation especially in sensitive humans.
see section 11: Toxicological information

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Wood files and rasps

Material number 171

Revision date: 3/2/2016
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 2 of 9

3. Composition / Information on ingredients

Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS 7439-89-6	Iron	< 98 %	not applicable
CAS 7440-44-0	Carbon	< 2 %	not applicable
CAS 7440-47-3	Chromium	< 1 %	not applicable
CAS 7439-96-5	Manganese	< 1 %	not applicable
CAS 7440-21-3	Silicon	< 1 %	not applicable
CAS 7439-98-7	Molybdenum	< 1 %	not applicable
CAS 7440-02-0	Nickel	< 1 %	Sensitization - skin 1. Carcinogenicity 2. Specific Target Organ Toxicity (Repeated Exposure) 1.
CAS 7723-14-0	Phosphorus	< 0.1 %	not applicable
CAS 7704-34-9	Sulfur	< 0.1 %	Skin Irritation 2.

Additional information: The specific identity and/or exact percentage has been withheld as a trade secret.

4. First aid measures

In case of inhalation:	In the case of the formation of dust: Provide fresh air. If you feel unwell, seek medical advice.
Following skin contact:	In the case of the formation of dust: Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.
After eye contact:	In the case of the formation of dust: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of eye irritation consult an ophthalmologist.
After swallowing:	In the case of the formation of dust: Rinse mouth with water. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation of dust may cause irritation of the respiratory system.
Dust contact with the eyes can lead to mechanical irritation.
May cause sensitisation especially in sensitive humans.

Information to physician

Treat symptomatically.

5. Fire fighting measures

Flash point/flash point range:

No data available

Auto-ignition temperature: No data available

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Specific hazards arising from the chemical

On heating or in case of fire toxic gases may form.

Protective equipment and precautions for firefighters:

Wear self-contained breathing apparatus. Wear suitable protective clothing.

Additional information: Do not allow fire water to penetrate into surface or ground water.

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Wood files and rasps

Material number 171

Revision date: 3/2/2016
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 3 of 9

6. Accidental release measures

- Personal precautions: For mechanical processing: Avoid generation of dust. Do not inhale substance. Provide adequate ventilation. Wear appropriate protective equipment. Avoid contact with the substance. Keep unprotected people away.
- Environmental precautions: Do not allow to penetrate into soil, waterbodies or drains. In case of release, notify competent authorities.
- Methods for clean-up: Take up mechanically, placing in appropriate containers for disposal.

7. Handling and storage

Handling

- Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid generation of dust. Do not inhale substance. Wear appropriate protective equipment. When using do not eat, drink or smoke. Wash hands before breaks and after work.

Storage

- Requirements for storerooms and containers: Store container tightly closed in a dry area. Protect from moisture contamination.

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Wood files and rasps

Material number 171

Revision date: 3/2/2016
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 4 of 9

8. Exposure controls / personal protection

Exposure guidelines

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
7439-89-6	Iron	USA: ACGIH: TWA	10 mg/m ³ smoke, dust
		USA: OSHA: TWA	10 mg/m ³ smoke
7440-44-0	Carbon	Canada, Alberta: OEL 8 hour	10 mg/m ³ Dust limit value inhalable fraction
		Canada, Alberta: OEL 8 hour	3 mg/m ³ Dust limit value respirable fraction
		Canada, BC: OEL TWA	10 mg/m ³ Dust limit value inhalable fraction
		Canada, Ontario: OEL TWA	10 mg/m ³ Dust limit value inhalable fraction
		Canada, Ontario: OEL TWA	3 mg/m ³ Dust limit value respirable fraction
		Canada, Québec: VEMP	10 mg/m ³ Dust limit value inhalable fraction
		USA: OSHA: TWA	15 mg/m ³ inhalable fraction
7440-47-3	Chromium	USA: OSHA: TWA	5 mg/m ³ (respirable fraction)
		Canada, Alberta: OEL 8 hour	0.5 mg/m ³
7440-47-3	Chromium	Canada, BC: OEL TWA	0.5 mg/m ³
		Canada, Québec: VEMP	0.5 mg/m ³
		USA: ACGIH: TWA	0.5 mg/m ³
		USA: NIOSH: TWA	0.5 mg/m ³
		USA: OSHA: TWA	0.5 mg/m ³
		USA: OSHA: TWA	0.5 mg/m ³
7439-96-5	Manganese	Canada, Alberta: OEL 8 hour	0.2 mg/m ³
		Canada, BC: OEL TWA	0.2 mg/m ³
		Canada, Québec: VEMP	0.2 mg/m ³ Smoke, inhalable fraction
		OSHA: Ceiling	5 mg/m ³
		USA: ACGIH: TWA	0.02 mg/m ³ respirable fraction
		USA: ACGIH: TWA	0.1 mg/m ³ inhalable fraction
		USA: NIOSH: STEL	3 mg/m ³
7440-21-3	Silicon	USA: NIOSH: TWA	1 mg/m ³
		Canada, Ontario: OEL TWA	10 mg/m ³
		Canada, Québec: VEMP	10 mg/m ³ (inhalable fraction)
		USA: NIOSH: TWA	10 mg/m ³ inhalable fraction
		USA: NIOSH: TWA	5 mg/m ³ (respirable fraction)
7440-21-3	Silicon	USA: OSHA: TWA	15 mg/m ³ inhalable fraction
		USA: OSHA: TWA	5 mg/m ³ (respirable fraction)
		USA: OSHA: TWA	5 mg/m ³ (respirable fraction)

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Wood files and rasps

Material number 171

Revision date: 3/2/2016
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 5 of 9

CAS No.	Designation	Type	Limit value
7439-98-7	Molybdenum	Canada, Alberta: OEL 8 hour	0.5 mg/m ³ compounds, soluble; respirable fraction
		Canada, Alberta: OEL 8 hour	10 mg/m ³ (Metal insoluble compounds total)
		Canada, Alberta: OEL 8 hour	3 mg/m ³ (metal, compounds, insoluble; respirable fraction)
		Canada, BC: OEL TWA	0.5 mg/m ³ compounds, soluble; respirable fraction
		Canada, BC: OEL TWA	10 mg/m ³ metal and compounds, insoluble; inhalable fraction
		Canada, BC: OEL TWA	3 mg/m ³ metal and compounds, insoluble; respirable fraction
		Canada, Québec: VEMP	10 mg/m ³ compounds, insoluble
		Canada, Québec: VEMP	5 mg/m ³ compounds, soluble
		USA: ACGIH: TWA	0.5 mg/m ³ soluble; inhalable fraction
		USA: ACGIH: TWA	10 mg/m ³ insoluble; inhalable fraction
		USA: ACGIH: TWA	3 mg/m ³ insoluble; respirable fraction
7440-02-0	Nickel	USA: OSHA: TWA	15 mg/m ³
		USA: OSHA: TWA	5 mg/m ³
		Canada, Alberta: OEL 8 hour	1.5 mg/m ³ metal
		Canada, BC: OEL TWA	0.05 mg/m ³
		Canada, Ontario: OEL TWA	1 mg/m ³ inhalable fraction (Metal)
		Canada, Québec: VEMP	1 mg/m ³ (Métal)
		USA: ACGIH: TWA	0.1 mg/m ³ (compounds, soluble; inhalable fraction)
7723-14-0	Phosphorus	USA: ACGIH: TWA	0.2 mg/m ³ (compounds, insoluble; inhalable fraction)
		USA: ACGIH: TWA	1.5 mg/m ³ (metal, inhalable fraction)
		USA: NIOSH: TWA	0.015 mg/m ³
		USA: OSHA: TWA	1 mg/m ³ (Nickel and compounds)
		7704-34-9	Sulfur

Engineering controls

In the case of the formation of dust: Provide good ventilation and/or an exhaust system in the work area.

See also information in chapter 7, section storage.

Personal protection equipment (PPE)

- Eye/face protection: For mechanical processing: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.
- Skin protection: For mechanical processing: Wear suitable protective clothing and shoes.
For mechanical processing: Protective gloves according to OSHA Standard - 29 CFR: 1910.138.
- Respiratory protection: Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Wood files and rasps

Material number 171

Revision date: 3/2/2016
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 6 of 9

General hygiene considerations:

For mechanical processing: Do not inhale substance.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke. Change contaminated clothing.
Wash hands before breaks and after work.
Work place should be equipped with a shower and an eye rinsing apparatus.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:	Form: solid Color: gray
Odor:	odorless
Odor threshold:	No data available
pH value:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	No data available
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Density:	No data available
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Thermal decomposition:	No data available
Additional information:	No data available

10. Stability and reactivity

Reactivity:	Mechanical processing can produce particles and dust. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reaction when handled and stored according to provisions.
Conditions to avoid:	No data available
Incompatible materials:	No data available
Hazardous decomposition products:	On heating or in case of fire toxic gases may form.
Thermal decomposition:	No data available

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Wood files and rasps

Material number 171

Revision date: 3/2/2016
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 7 of 9

11. Toxicological information

Toxicological tests

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.
Acute toxicity (oral): Lack of data.
Acute toxicity (dermal): Lack of data.
Acute toxicity (inhalative): Lack of data.
Skin corrosion/irritation: Lack of data.
Eye damage/irritation: Lack of data.
Sensitisation to the respiratory tract: Lack of data.
Skin sensitisation: Based on available data, the classification criteria are not met. May cause sensitisation especially in sensitive humans.
Germ cell mutagenicity/Genotoxicity: Lack of data.
Carcinogenicity: Lack of data.
Reproductive toxicity: Lack of data.
Effects on or via lactation: Lack of data.
Specific target organ toxicity (single exposure): Lack of data.
Specific target organ toxicity (repeated exposure): Lack of data.
Aspiration hazard: Lack of data.

Other information: Chronic toxicity carcinogenic effect:
Information about Nickel:
IARC Rating: Group 2B
OSHA Carcinogen: not listed
NTP Rating: listed
Information about Chromium:
IARC Rating: Group 3
OSHA Carcinogen: not listed
NTP Rating: not listed

Symptoms

In case of inhalation: Inhalation of dust may cause irritation of the respiratory system. Lung damage is possible in a chronic situation. Cough, shortage of breath.
After contact with skin: In the case of the formation of dust: May cause irritations.
After eye contact: Dust contact with the eyes can lead to mechanical irritation.

12. Ecological information

Ecotoxicity

Further details: No data available

Mobility in soil

No data available

Persistence and degradability

Further details: No data available

Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Wood files and rasps

Material number 171

Revision date: 3/2/2016
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 8 of 9

13. Disposal considerations

Product

Recommendation: Dispose of waste according to applicable legislation.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Packing can be recycled or disposed of.

14. Transport information

USA: Department of Transportation (DOT)

Proper shipping name: Not restricted

Canada: Transportation of Dangerous Goods (TDG)

Shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted
Marine pollutant: no

Air transport (IATA)

Proper shipping name: Not restricted

Further information

No dangerous good in sense of these transport regulations.

15. Regulatory information

National regulations - Canada


No data available

National regulations - U.S. Federal Regulations

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

16. Other information

Hazard rating systems:



NFPA Hazard Rating:

Health: 1 (Slight)
Fire: 0 (Minimal)
Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 1 (Slight)
Flammability: 0 (Minimal)
Physical Hazard: 0 (Minimal)
Personal Protection: X = Consult your supervisor

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
	X

Date of first version: 3/2/2016

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

SAFETY DATA SHEET

according to WHMIS 2015 and ANSI Z400.1-2010



Wood files and rasps

Material number 171

Revision date: 3/2/2016
Version: 1

Language: en-CA,US

Date of print: 22/4/2016
Page: 9 of 9

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products.